Author Index

Ahmed, A. M., 17

Baldyga, J., 83, 93
Belkebir, M., 119
Białopiotrowicz, T., 57, 63
Bourne, J. R., 83, 93
Brucato, A., 73

Chavance, D., 1
Ching, C. B., B47
Crumpton, P., 167

de Lasa, H. I., 7
Delacroix, A., 1
Dodds, J., 193
Domenech, S., 119, 153

El Ghezal, L., B25
El-Sawi, M., 137

Frimpong, S., 25
Frusteri, F., 137

Galindo, E., B9
García, I. G., B1
Giordano, N., 137
Granger, J., 193
Guiglion, C., 119

Hemati, M., B25
Herrera, R., B9
Hidajat, K., B47
Houang, P., 175

Infortuna, F. A., 137

Jańczuk, B., 57, 63

Kolaczkowski, S. T., 167

Laguerie, C., B25
Landry, P., 1
Laukhuf, W. L. S., 25
Lédé, J., 27, 103
Lee, R. P. J., 167
Li, H. Z., 37, 103
Lignola, P. G., 137
Lii, C.-W., 145
Lim, H. C., B15

Mahay, A., 7
Martín, A. M., B1
McLaughlin, H. S., 187
Midoux, N., 193
Modak, J. M., B15
Muratet, G., 1

Nagase, M., B39
Narduzzi, F., 1
Nauman, E. B., 187

Parmaliana, A., 137
Pérez, A. C., B1
Pibouleau, L., 119, 153
Plank, C. A., 25
Porte, C., 1

Ravella, A., 7
Rizzuti, L., 73
Ruiz, J. M. O., B1

Sakai, K., B39
Schaegger, M., 175
Sedahmed, G. H., 17
Soulignac, F., 103
Spence, A., 167

Tsuda, S., B39

Uddin, M. S., B47

Verma, A. K., 205
Villermaux, J., 37, 103

Wójcik, W., 57, 63

Yih, S.-M., 145
Youssef, S., 153

Zoulalian, A., 175

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Absorption
simultaneous absorption of nitric oxide and sulphur dioxide in Fe^{II}–EDTA solutions in a packed absorber–stripper unit, 145
Adhesion
influence of *n*-alkanes on wetting of coal and adhesion of water and air bubbles to coal surface, 57
Adsorption
adsorption of β_2-microglobulin on PMMA, PAN and cellulosic membranes, B39
Agitation speeds
effects of different impeller combinations and agitation speeds on the culture of a highly oxygen-sensitive bacteria, B9
Albumin
diffusional kinetics of monoclonal antibody, transferrin and bovine serum albumin on Sephacryl S-200 HR gel, B47
Alkanes
correlation between flotation activity of coal, the contact angle and stability of the coal/*n*-alkane film–air bubble–water system, 63
influence of *n*-alkanes on wetting of coal and adhesion of water and air bubbles to coal surface, 57

Bacteria
effects of different impeller combinations and agitation speeds on the culture of a highly oxygen-sensitive bacteria, B9
Berl saddles
kinetic study of the production of ethanol with *Saccharomyces cerevisiae* immobilized on Berl saddles, B1
Bovine serum
diffusional kinetics of monoclonal antibody, transferrin and bovine serum albumin on Sephacryl S-200 HR gel, B47
Bubble columns
heat transfer mechanism in bubble columns, 205

Catalysts
parameter estimation in the kinetic model of methylcyclohexane dehydrogenation on a $Pt–Al_2O_3$ catalyst by sequential experiment design, 137
Catalytic fixed-bed reactor
pseudoadiabatic axial thermal profiles in a catalytic fixed-bed reactor: measurements and modelling, 7
Cellulosic membranes
adsorption of β_2-microglobulin on PMMA, PAN and cellulosic membranes, B39
Channel interaction
channel interaction in a non-adiabatic monolithic reactor, 167
Coal
correlation between flotation activity of coal, the contact angle and stability of the coal/*n*-alkane film–air bubble–water system, 63
influence of *n*-alkanes on wetting of coal and adhesion of water and air bubbles to coal surface, 57
Coal surface
influence of *n*-alkanes on wetting of coal and adhesion of water and air bubbles to coal surface, 57
Contact angle
correlation between flotation activity of coal, the contact angle and stability of the coal/*n*-alkane film–air bubble–water system, 63
Continuous flow
on gelation continuous flow polycondensation reactors, 187
Control
use of an expert system generator for the control of a chemical process in the development laboratory, 1
Control variables
optimal operation of fed-batch bioreactors with two control variables, B15
Culture
effects of different impeller combinations and agitation speeds on the culture of a highly oxygen-sensitive bacteria, B9
Cyclone reactor
the cyclone reactor. Part I: direct measurement of the residence time distribution of the gaseous phase — scale-up rules, 37
the cyclone reactor. Part II: direct measurement of the solid phase residence time distribution — scale-up rules, 103

Dehydrogenation
parameter estimation in the kinetic model of methylcyclohexane dehydrogenation on a $Pt–Al_2O_3$ catalyst by sequential experiment design, 137
Derivation
simplification of micromixing calculations. I. Derivation and application of new model, 83
Diffusional kinetics
diffusional kinetics of monoclonal antibody, transferrin and bovine serum albumin on Sephacryl S-200 HR gel, B47
Distillation column
calculation for a distillation column with multiple feeds and sidestreams, 153

Ethanol
kinetic study of the production of ethanol with *Saccharomyces cerevisiae* immobilized on Berl saddles, B1

© Elsevier Sequoia/Printed in The Netherlands

Expert system generator
use of an expert system generator for the control of a chemical process in the development laboratory, 1

Fed-batch bioreactors
optimal operation of fed-batch bioreactors with two control variables, B15
Flotation activity
correlation between flotation activity of coal, the contact angle and stability of the coal/*n*-alkane film–air bubble–water system, 63
Fluidised bed
experimental study of the pyrolysis of wood sawdust in a fluidised bed of sand particles between 630 and 940 °C, B25

Gas generation
effect of surface-active agents on the rate of solid–liquid mass transfer with gas generation at the interface, 17
Gaseous phase
the cyclone reactor. Part I: direct measurement of the residence time distribution of the gaseous phase — scale-up rules, 37
Gelation
on gelation continuous flow polycondensation reactors, 187
Geometry
influence of geometry on the residence time distribution and the performance of a non-aerated isothermal lagoon system, 175

Heat exchanger network
synthesis of a heat exchanger network, 119
Heat transfer
heat transfer mechanism in bubble columns, 205

Impeller combinations
effects of different impeller combinations and agitation speeds on the culture of a highly oxygen-sensitive bacteria, B9

Kinetics
parameter estimation in the kinetic model of methylcyclohexane dehydrogenation on a $Pt–Al_2O_3$ catalyst by sequential experiment design, 137

Lagoon system
influence of geometry on the residence time distribution and the performance of a non-aerated isothermal lagoon system, 175
Laminar flow
laminar flow in channels with porous walls, 193

Methylcyclohexane
parameter estimation in the kinetic model of methylcyclohexane dehydrogenation on a $Pt–Al_2O_3$ catalyst by sequential experiment design, 137
β_2-Microglobulin
adsorption of β_2-microglobulin on PMMA, PAN and cellulosic membranes, B39
Micromixing calculations
simplification of micromixing calculations. I. Derivation and application of new model, 83
simplification of micromixing calculations. II. New applications, 93
Monoclonal antibody
diffusional kinetics of monoclonal antibody, transferrin and bovine serum albumin on Sephacryl S-200 HR gel, B47
Monolithic reactor
channel interaction in a non-adiabatic monolithic reactor, 167
Multiple feeds
calculation for a distillation column with multiple feeds and sidestreams, 153

Nitric oxide
simultaneous absorption of nitric oxide and sulphur dioxide in Fe^{II}–EDTA solutions in a packed absorber–stripper unit, 145

Optimal operation
optimal operation of fed-betch bioreactors with teo control variables, B15

Parameter estimation
parameter estimation in the kinetic model of methylcyclohexane dehydrogenation on a $Pt–Al_2O_3$ catalyst by sequential experiment design, 137
Poly(methyl methacrylate)
adsorption of β_2-microglobulin on PMMA, PAN and cellulosic membranes, B39
Polyacrylonitrile
adsorption of β_2-microglobulin on PMMA, PAN and cellulosic membranes, B39
Polycarbonate
evaluation of sorption and transport of sulfur dioxide in polycarbonate, 25
Polycondensation reactors
on gelation continuous flow polycondensation reactors, 187
Porous walls
laminar flow in channels with porous walls, 193
Pseudoadiabatic axial thermal profiles
pseudoadiabatic axial thermal profiles in a catalytic fixed-bed reactor: measurements and modelling, 7
Pyrolysis
experimental study of the pyrolysis of wood sawdust in a fluidised bed of sand particles between 630 and 940 °C, B25

Residence time distribution
influence of geometry on the residence time distribution and the performance of a non-aerated isothermal lagoon system, 175
the cyclone reactor. Part I: direct measurement of the residence time distribution of the gaseous phase — scale-up rules, 37
the cyclone reactor. Part II: direct measurement of the solid phase residence time distribution — scale-up rules, 103
Residence time distributions
the twin-system approach to experimental determination of residence time distributions, 73

Saccharomyces cerevisiae
kinetic study of the production of ethanol with *Saccharomyces cerevisiae* immobilized on Berl saddles, B1
Scale-up rules
the cyclone reactor. Part I: direct measurement of the residence time distribution of the gaseous phase — scale-up rules, 37
the cyclone reactor. Part II: direct measurement of the solid phase residence time distribution — scale-up rules, 103
Sidestreams
calculation for a distillation column with multiple feeds and sidestreams, 153
Simplification
simplification of micromixing calculations. I. Derivation and application of new model, 83
simplification of micromixing calculations. II. New applications, 93
Solid phase
the cyclone reactor. Part II: direct measurement of the solid phase residence time distribution — scale-up rules, 103
Solid–liquid mass transfer
effect of surface-active agents on the rate of solid–liquid mass transfer with gas generation at the interface, 17
Sorption
evaluation of sorption and transport of sulfur dioxide in polycarbonate, 25
Stability
correlation between flotation activity of coal, the contact angle and stability of the coal/*n*-alkane film–air bubble–water system, 63
Sulphur dioxide
evaluation of sorption and transport of sulfur dioxide in polycarbonate, 25
simultaneous absorption of nitric oxide and sulphur dioxide in Fe^{II}–EDTA solutions in a packed absorber–stripper unit, 145
Surface-active agents
effect of surface-active agents on the rate of solid–liquid mass transfer with gas generation at the interface, 17
Synthesis
synthesis of a heat exchanger network, 119

Transferrin
diffusional kinetics of monoclonal antibody, transferrin and bovine serum albumin on sephacryl S-200 HR gel, B47
Transport
evaluation of sorption and transport of sulfur dioxide in polycarbonate, 25
Twin-system approach
the twin-system approach to experimental determination of residence time distributions, 73

Wetting
influence of *n*-alkanes on wetting of coal adhesion of water and air bubbles to coal surface, 57
Wood sawdust
experimental study of the pyrolysis of wood sawdust in a fluidised bed of sand particles between 630 and 940 °C, B25